

# Posted-Price Retailing of Transactive Energy: An Optimal Online Mechanism Without Prediction

Xiaoqi Tan, *Member, IEEE*, Alberto Leon-Garcia, *Life Fellow, IEEE*, Yuan Wu, *Senior Member, IEEE*, and Danny H. K. Tsang, *Fellow, IEEE*

**Abstract**—In this paper, we study a general transactive energy (TE) retailing problem in smart grids: a TE retailer (e.g., a utility company) publishes the energy price, which may vary over time. TE customers arrive in an arbitrary manner and may choose to either purchase a certain amount of energy based on the posted price, or leave without buying. Typical examples of such a setup include a transactive electric vehicle charging platform, or a general market-based demand-side management program, etc. We consider the setting where the customer arrival information is unknown (i.e., without prediction), and focus on maximizing the social welfare of the TE system through a posted-price mechanism (PPM) that runs in an online fashion with causal information only. We quantify the performance of the proposed PPM in the competitive analysis framework, and show that our proposed PPM is optimal in the sense that no other online mechanisms can achieve a better competitive ratio. We evaluate our theoretic results for the case of transactive electric vehicle charging. Our extensive experimental results show that the proposed PPM is competitive and robust against system uncertainties, and outperforms several existing benchmarks.

**Index Terms**—Pricing, mechanism design, competitive analysis, transactive energy, smart grid.

## I. INTRODUCTION

OVER the past decade, a growing attention has been devoted to the development of new economic models and control strategies to ensure market efficiency and grid reliability through the use of demand response techniques [1] and distributed energy resources (DERs) [2]. This has led to a focus on a new area of transactive energy (TE), defined by the Gridwise Architecture Council as “a system of economic and control mechanisms to balance the supply and demand using value as the key operational parameter” [3]. According

Manuscript received 7 June, 2019; revised 15 September, 2019; accepted 4 October, 2019. Date of publication November 6, 2019; date of current version January 31, 2020. The work of X. Tan and A. Leon-Garcia was supported by NSERC Strategic Partnerships under Grant 506319-7. The work of Y. Wu was supported by the Research Grant of University of Macau under Grant SRG2019-00168-IOTSC. The work of D. H. K. Tsang was supported in part by the General Research Fund of Hong Kong under Grant 16210215 and Grant 16207318. (*Corresponding author: Xiaoqi Tan.*)

X. Tan and A. Leon-Garcia are with The Edward S. Rogers Sr. Department of Electrical and Computer Engineering, University of Toronto, Toronto, ON M5S 1A1, Canada (e-mail: xiaoqi.tan@utoronto.ca; alberto.leongarcia@utoronto.ca).

Y. Wu is with the State Key Lab of Internet of Things for Smart City, University of Macau, Macau, China (e-mail: yuanwu@um.edu.mo).

D. H. K. Tsang is with the Department of Electronic and Computer Engineering, The Hong Kong University of Science and Technology, Hong Kong (e-mail: eetsang@ust.hk).

Color versions of one or more of the figures in this article are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/JSAC.2019.2951930

to National Institute of Standards and Technology (NIST) [4], TE has a great potential for efficiency improvement through market-based transactive exchange between energy suppliers and energy consumers.

It is commonly believed that traditional flat-rate pricing models must be updated with the TE framework since they cannot handle the added complexity and cost to the energy suppliers due to the increasing intermittency of DERs [3]. Pricing schemes such as time-of-use (TOU) and real-time pricing (RTP) can better describe time-varying marginal costs of energy supply [5]. However, these pricing schemes are usually designed in heuristic ways [6], and thus it is difficult to achieve reliable and predictable performances in highly-uncertain environments. Therefore, a TE system with novel pricing schemes that can counteract the intermittency of DERs is a necessary step to achieve a welfare-maximized energy future (i.e., a win-win solution for both the supply and consumption sides). On the other hand, energy consumers are usually self-interested. Meanwhile, increasing availability of evolving technologies such as batteries also bring more choices and price transparency to energy consumers [4]. Therefore, without an appropriate market design, consumers may not be well-incentivized to behave in a desired collective manner. Worse yet is that energy consumers may strategically influence the market, leading to a poor system-wide performance. Towards this end, designing market mechanisms that can guarantee a competitive and robust system-wide performance under *uncertain* and *strategic* environments plays a pivotal role in the future of TE.

Motivated by these considerations, various market-based demand-side management (DSM) problems have been studied, e.g., pricing mechanism for electric vehicle (EV) charging [7], market-based coordination mechanism to manage thermally-controlled loads (TCLs, e.g., air conditioners and heaters) in buildings [8], [9], and demand bidding and auction [10], [11]. However, all the above works have focused on market design in an *offline and static* setting, in which all the energy suppliers and energy customers have to participate in the mechanism at the beginning of the time horizon. In practice, customers often arrive sequentially in an *online and dynamic* manner, and are uncertain in multiple dimensions (e.g., arrival times, durations, power rates, energy demand, etc.). The uncertainty of customers is further complicated when they are equipped with DERs such as wind, solar and energy storage devices, which are key elements in the concept of TE. Therefore, a static and synchronized setup might not be

amenable for a highly-uncertain and dynamic TE framework in future smart grid.

To address this concern, we borrow ideas from online mechanism design in multi-agent systems [12], [13] and economics [14], and aim to study the above market-based DSM problems in a unified framework of posted-price TE retailing.<sup>1</sup> Specifically, we consider a TE retailer (e.g., a utility company, an aggregator of EVs/TCLs, etc.) is selling energy to customers who arrive in a sequential and online manner. Upon the arrival of each customer (where ties are broken arbitrarily), the TE retailer publishes an energy price, which may vary over time. Customers can choose to either purchase a certain amount of energy based on the posted price, or leave without purchasing anything. In this context, customers are faced with *take-it-or-leave-it* offers, and therefore strategic behaviors naturally vanish [17], [18]. Meanwhile, such a sequential posted-price setting is also aligned with the trend of TE with a more transparent, customer-centric and dynamic exchange between energy suppliers and consumers [3]. For example, in market-based EV charging platforms, an EV can accept the posted price from one platform, or leave for alternatives. In our posted-price TE retailing framework, we do not assume any knowledge of future arrival information, i.e., arbitrary arrivals without prediction. Under such a highly-uncertain setting, we are interested in designing a posted-price mechanism (PPM) to achieve the following objectives: i) *individual rationality*, i.e., each customer suffers no loss from participating in the mechanism; ii) *incentive compatibility*, i.e., each customer can achieve the best outcome (e.g., the maximized utility) if she follows her true preference, regardless of actions taken by other customers; and iii) *tight competitive ratio*, i.e., the ratio between the social welfare achieved by the proposed PPM and its offline counterpart (assuming full knowledge of future information), is as close to 1 as possible.

We note that the above posted-price TE retailing framework is not entirely new in the smart grid literature. A similar setup has been studied in other settings such as RTP-based load control [19]–[21], auction-based real-time demand-side flexibility management [22], and auction-based online EV charging [23]–[26], etc. However, the posted-price retailing framework differs from all these existing works in the following features. First, the prices in our TE retailing framework are updated for each individual customer (i.e., customer-driven), this differs from traditional RTP schemes which broadcast the prices for all the customers periodically (e.g., every one hour). Second, our proposed PPM does not require customers to reveal their private information (e.g., valuation). Instead, they make their own decisions based on the posted prices. This differs from existing auction-based market mechanisms such as [22]–[26], where customers need to reveal their private information to the retailer in order to maximize the social welfare. Eliminating the revelation of private information not only leads to a privacy-preserving mechanism, but also

reduces the communication overhead between TE retailer and customers. Therefore, our proposed PPM is very suitable for a distributed implementation in large-scale TE systems.<sup>2</sup>

*Our Contributions:* We propose an optimal PPM for TE retailing without prediction. The proposed PPM is optimal in the sense that no other online mechanisms can achieve a better competitive ratio, and thus no other online mechanisms can achieve a better performance in expectation. To the best of our knowledge, the proposed PPM is the first online mechanism in TE retailing to achieve individual rationality, incentive compatibility<sup>3</sup> and optimal competitive ratio simultaneously. Specifically, the key to our online mechanism design is the proof of existence and uniqueness of optimal pricing functions that satisfy a group of first-order ordinary differential equations (ODE) with boundary conditions. We validate our design via case studies of market-based online EV charging. Extensive numerical results show that our proposed PPM is competitive and robust against system uncertainties, and outperforms several existing benchmarks.

The rest of this paper is organized as follows. We introduce the problem formulation, design objectives and assumptions in Section II. In Section III, we present our major results regarding the optimal competitive ratio and optimal pricing functions. We perform extensive experimental simulations in Section IV and conclude this paper in Section V.

## II. PROBLEM FORMULATION

In this section, we first present the problem formulations in the offline setting and online posted-price setting, and then describe the objectives and assumptions of our online mechanism design.

### A. Problem Formulation in Offline Setting

We consider a general TE retailing problem as follows: a TE retailer is selling TE to customers who arrive in a sequential manner with a certain demand. We consider a group of customers  $\mathcal{N} = \{1, \dots, N\}$  over a slotted time horizon  $\mathcal{T} = \{1, 2, \dots, T\}$  with slot length  $\Delta_T$ . Each customer is represented by a type vector  $\theta_n = (r_n, v_n)$ , where  $r_n = \{r_n^t\}_{\forall t \in \mathcal{T}_n}$  denotes the power demand profile during the consumption interval  $\mathcal{T}_n$  and  $v_n$  denotes the monetary valuation, i.e., the maximum money customer  $n$  is willing to pay for consuming the power demand  $r_n$  over interval  $\mathcal{T}_n$ . Note that if we denote  $\mathcal{T}_n$  by  $\mathcal{T}_n = \{t_n^a, \dots, t_n^d\}$ , then  $t_n^a$  and  $t_n^d$  can be interpreted as the *arrival* and *departure* of customer  $n$ , respectively (e.g., an EV charging duration). We assume that  $r_n^t \geq 0$  always hold during the consumption interval  $\mathcal{T}_n$  (i.e., negative demand is not allowed in our TE retailing system). Meanwhile, for notational convenience, we denote the demand profile of customer  $n$  over the entire horizon by  $\{\hat{r}_n^t\}_{\forall t \in \mathcal{T}}$ , where  $\hat{r}_n^t$  is given by

$$\hat{r}_n^t = \begin{cases} r_n^t & \text{if } t \in \mathcal{T}_n, \\ 0 & \text{if } t \in \mathcal{T} \setminus \mathcal{T}_n. \end{cases} \quad (1)$$

<sup>2</sup>For instance, it is possible to implement a distributed and privacy-preserving transaction system based on our proposed PPM via blockchain [27].

<sup>3</sup>Posted-pricing is inherently incentive compatible [17], [18] and [28].

<sup>1</sup>Posted-price, auction, and bargaining are considered the three most commonly-used selling methods. We refer to [15] and [16] for detailed discussions.

In the following we may use  $\{\hat{r}_n^t\}_{\forall t \in \mathcal{T}}$  and  $\{r_n^t\}_{\forall t \in \mathcal{T}_n}$  interchangeably.

For each time slot  $t \in \mathcal{T}$ , we consider the base load  $b_t$  is given and the TE retailer has a limited capacity of  $c_t$ . Here we allow  $c_t$  to be time-dependent to make it more general. When all the future arrival information is known, the *offline social welfare maximization* problem can be formulated as follows:

$$\max_{\mathbf{x}, \mathbf{y}} \sum_{n \in \mathcal{N}} v_n x_n - \left( \sum_{t \in \mathcal{T}} f_t(y_t) - \sum_{t \in \mathcal{T}} f_t(b_t) \right) \Delta_T \quad (2a)$$

$$s.t. \quad y_t = b_t + \sum_{n \in \mathcal{N}} \hat{r}_n^t x_n, \forall t \in \mathcal{T}, \quad (2b)$$

$$b_t \leq y_t \leq c_t, t \in \mathcal{T}, \quad (2c)$$

$$x_n \in \{0, 1\}, \forall n \in \mathcal{N}, \quad (2d)$$

where the binary variable  $x_n \in \{0, 1\}$  denotes the status of customer  $n$ , the auxiliary variable  $y_t$  denotes the total power consumption, and  $f_t(\cdot)$  denotes the supply cost of the TE retailer. Specifically,  $x_n = 1$  denotes that customer  $n$  purchases the demand and  $x_n = 0$  otherwise. Following the convention in the literature (e.g., [1], [19], [29]), the cost function  $f_t(\cdot)$  is assumed to take the following quadratic form

$$f_t(y) = a_{t,2}y^2 + a_{t,1}y + a_{t,0}, \text{ (unit: \$/hour)}. \quad (3)$$

When the TE retailer is a utility company, then  $f_t(y)$  represents the fuel cost of electricity generation per hour. In the following, we will also frequently use the derivative of  $f_t(y)$ , i.e., the marginal cost function  $f_t'(y) = 2a_{t,2}y + a_{t,1}$  (unit: \\$/kWh).

Problem (2) aims at optimizing the selection of customers (i.e., whom to sell/serve) such that the social welfare of the entire TE system can be maximized.<sup>4</sup> For example, for those customers who are in an urgent demand (e.g., an electric taxi who wants to be recharged as fast as possible to return to work), their valuations tend to be high and thus will have a higher chance to be selected, and vice versa. Note that in our formulated TE retailing problem, the demand vector  $\mathbf{r}_n = \{r_n^t\}_{t \in \mathcal{T}_n}$  or  $\hat{\mathbf{r}}_n = \{\hat{r}_n^t\}_{\forall t \in \mathcal{T}}$  is given by each customer  $n \in \mathcal{N}$ , and thus  $\mathbf{r}_n$  or  $\hat{\mathbf{r}}_n$  is fixed and not a decision variable in Problem (2). Therefore, we focus on TE customers with flexibility in consumption durations but without elasticity in power demand, e.g., EV charging control with flexible charging durations and given charging profiles.

### B. Posted-Price Retailing in Online Setting

Directly solving Problem (2) is possible, provided that all the future information is given. However, we are interested in a more practical scenario when customers arrive in an online and dynamic fashion and there is no predictability in the sequence of customer arrivals as well as their demand information. Meanwhile, we consider the decisions of whether to make a purchase or not are made by the customers in a distributed manner so as to be more scalable and privacy-preserving.

<sup>4</sup>It is worth pointing out that social welfare maximization is not the only design objective of interest. For example, profit-maximization is of interest if the TE retailer is profit-oriented, e.g., an aggregator of EVs. Meanwhile, other design objectives such as load shifting and/or peak-shaving are also common in literature, e.g., [19] and [20].

Towards this end, we reformulate the above offline social welfare maximization problem into an online posted-price retailing problem as follows. We consider a group of  $\mathcal{N} = \{1, \dots, N\}$  customers whose arrival sequences  $\{t_n^a\}_{\forall n}$  are, without loss of generality, in a non-descending order, i.e.,  $1 \leq t_1^a \leq t_2^a \leq \dots \leq t_N^a \leq T$ . At each round when there is an arrival of customer  $n \in \{1, 2, \dots, N\}$ , the TE retailer will offer him/her a price profile for the remaining horizon of interest  $\mathcal{T}^{(n)} \triangleq \{t_n^a, \dots, T\}$ . Customer  $n$  may either leave without purchasing anything, or purchase the required power profile  $\{r_n^t\}_{\forall t \in \mathcal{T}_n}$  by paying the TE retailer based on the current price. The same process will repeat upon the arrival of customer  $n+1$ . Our target is to design a sequence of price profiles at each round so that the social welfare of the whole TE system can be as close to the offline social welfare as possible. Below we present the design details of our PPM.

Let us denote the initial price by  $\{\lambda_t^{(0)}\}_{\forall t \in \mathcal{T}}$ , namely, the posted price before processing<sup>5</sup> the first customer, and denote the posted price by  $\{\lambda_t^{(n)}\}_{\forall t \in \mathcal{T}}$  after processing customer  $n$ , where  $n \in \{1, \dots, N\}$ . Following this notation, upon the arrival of customer  $n$ , the posted price for the remaining horizon  $\mathcal{T}^{(n)}$  can be denoted by  $\{\lambda_t^{(n-1)}\}_{\forall t \in \mathcal{T}^{(n)}}$ . If customer  $n$  decides to purchase the power demand, she will pay

$$\pi_n = \sum_{t \in \mathcal{T}_n} \lambda_t^{(n-1)} r_n^t \Delta_T \quad (4)$$

to the TE retailer. We assume that customer  $n$  makes her own decision based on the following criteria:

$$x_n = \begin{cases} 1 & \text{if } v_n - \pi_n \geq 0, \\ 0 & \text{if } v_n - \pi_n < 0. \end{cases} \quad (5)$$

Therefore, we can quantify the utility of customer  $n$  by

$$U_n = (v_n - \pi_n)x_n. \quad (6)$$

The above decision-making model follows the conventional individual rationality principle in game theoretic literature [12], [28], namely, a customer will make a purchase only if her utility is non-negative.

Let us denote the total power consumption by  $\{y_t^{(n)}\}_{\forall t \in \mathcal{T}}$  after processing customer  $n$ . For notational convenience, let us define  $y_t^{(0)} \triangleq b_t, \forall t \in \mathcal{T}$ . Hence, we have

$$y_t^{(n)} = y_t^{(n-1)} + r_n^t x_n, \quad \forall t \in \mathcal{T}_n. \quad (7)$$

Intuitively, we have  $y_t^{(n)} = y_t^{(n-1)}$  if customer  $n$  does not make any purchase, namely  $x_n = 0$ . Meanwhile,  $b_t \leq y_t^{(n)} \leq c_t$  always holds,  $\forall t \in \mathcal{T}, n \in \mathcal{N}$ . After processing all the customers, the utility of the TE retailer is given by

$$U_r = \sum_{n \in \mathcal{N}} \pi_n x_n - \left( \sum_{t \in \mathcal{T}} f_t(y_t^{(N)}) - \sum_{t \in \mathcal{T}} f_t(b_t) \right) \Delta_T, \quad (8)$$

<sup>5</sup>By *processing*, we mean the procedures of posting the price and then obtaining the decision results from customers. Note that this is different from *servicing* energy to customers. In particular, customers can be served concurrently (e.g., multiple EVs are being charged simultaneously), but must be processed sequentially based on their arrival orders (where ties are broken arbitrarily). Meanwhile, it is possible that multiple customers are admitted in a single time slot.

where  $\{y_t^{(N)}\}_{\forall t}$  denotes the final total power consumption profile. Based on Eq. (6) and Eq. (8), summing over the utilities of all the customers and the TE retailer leads to the social welfare of the whole TE system, which is denoted by  $W_{\text{ppm}}$  as follows:

$$W_{\text{ppm}} = \sum_{n \in \mathcal{N}} v_n x_n - \left( \sum_{t \in \mathcal{T}} f_t(y_t^{(N)}) - \sum_{t \in \mathcal{T}} f_t(b_t) \right) \Delta_T. \quad (9)$$

Note that the payment terms cancel out in  $W_{\text{ppm}}$ . Meanwhile,  $W_{\text{ppm}}$  is in the same form as the objective of Problem (2) except that their final total power consumption profiles are calculated in different ways.

### C. Objectives: Competitive Pricing Function Design

In the above posted-price retailing processes, any two different sequences of the posted prices  $\{\lambda_t^{(n)}\}_{\forall n, t}$  will lead to a different welfare performance of the TE system. When there is no future information, our idea is to design the price  $\lambda_t^{(n)}$  as a function of the current total power consumption  $y_t^{(n)}$ , i.e.,

$$\lambda_t^{(n)} \triangleq \Phi_t(y_t^{(n)}), \quad \forall t, \quad (10)$$

where  $\Phi_t$  is referred to as the *pricing function* and  $\Phi = \{\Phi_t\}_{\forall t}$  is called a *pricing scheme* hereinafter. We note that following the above definition, the initial price  $\lambda_t^{(0)}$ , namely the price posted for the first customer, is given by  $\lambda_t^{(0)} = \Phi_t(y_t^{(0)}) = \Phi_t(b_t), \forall t$ . Meanwhile, since the current power consumption is causal information, our design of  $\{\Phi_t\}_{\forall t}$  is independent of future information and enables an online implementation. The detailed procedure of our proposed PPM is summarized in Algorithm 1.

---

#### Algorithm 1 PPM With Pricing Scheme $\Phi$ (PPM $_{\Phi}$ )

---

- 1: **Initialization:**  $y_t^{(0)} = b_t, \forall t$ .
  - 2: **while** a new customer  $n$  arrives **do**
  - 3: Customer  $n$  calculates  $\pi_n$  by Eq. (4).
  - 4: **if**  $v_n \geq \pi_n$  and  $y_t^{(n-1)} + r_n^t \leq c_t, \forall t \in \mathcal{T}_n$ , **then**
  - 5: Customer  $n$  purchases the power demand  $r_n$  and pays  $\pi_n$  to the TE retailer (i.e.,  $x_n = 1$ ).
  - 6: **else**
  - 7: Customer  $n$  leaves without purchasing anything (i.e.,  $x_n = 0$ ).
  - 8: **end if**
  - 9: Update the total power consumption by Eq. (7).
  - 10: Update the current power price by Eq. (10).
  - 11: **end while**
- 

*Competitive Analysis:* Recall that our target is to make  $W_{\text{ppm}}$  as close to its offline counterpart as possible. For online settings without future information, the performance of PPM $_{\Phi}$  can be measured via the competitive analysis framework [30]. Let  $W_{\text{opt}}$  denote the offline optimal objective value of Problem (2). We say PPM $_{\Phi}$  is  $\alpha$ -competitive if there exists a constant  $\alpha$  such that

$$W_{\text{ppm}} \geq \frac{1}{\alpha} W_{\text{opt}}$$

holds for all possible arrival instances, meaning that PPM $_{\Phi}$  achieves at least  $1/\alpha$  of the offline optimal social welfare when there is no future information. Note that  $\alpha$  is at least 1, and the closer to 1 the better. Meanwhile, we say the competitive ratio  $\alpha$  of PPM $_{\Phi}$  is *optimal* if no other online algorithms can outperform PPM $_{\Phi}$  with a smaller competitive ratio of  $\alpha - \epsilon$ ,  $\forall \epsilon > 0$ . If the competitive ratio of PPM $_{\Phi}$  is optimal, we denote it by  $\alpha^*$ .

The main objective of this paper is to strategically design a pricing scheme  $\Phi = \{\Phi_t\}_{\forall t}$  so that PPM $_{\Phi}$  can achieve a competitive performance. In particular, we will characterize under what conditions PPM $_{\Phi}$  can achieve a bounded competitive ratio, and whether the bounded competitive ratio is optimal or not.

### D. Assumption of VERs and Setup

To help our pricing function design, in this subsection we make a few definitions and assumptions. For each customer  $n$ , let us define the *valuation-to-energy ratio* (VER) by

$$\xi_n \triangleq \frac{v_n}{\sum_{t \in \mathcal{T}_n} r_n^t \Delta_T}, \quad \forall n \in \mathcal{N}, \quad (11)$$

where  $\xi_n$  has the same unit as the energy price, i.e., \$/kWh. Therefore, we can interpret  $\xi_n$  as the *maximum average energy price* that customer  $n$  is willing to accept.

Based on the above definitions, we make the following assumption throughout the paper.

*Assumption 1 (Upper Bound):* The VERs of all the customers are upper bounded, namely,

$$\xi_n \leq \bar{p}, \quad \forall n \in \mathcal{N}, \quad (12)$$

where  $\bar{p}$  is referred to as the *upper bound* hereinafter.

Since the demand profiles  $\{r_n^t\}_{\forall t, n}$  are all finite, Assumption 1 basically states that all the customers are rational and will not have exceptionally-high valuations, namely, the valuations of all the customers are upper bounded. We emphasize that Assumption 1 is a mild assumption that naturally holds in practice. It should be noted that  $\bar{p}$  not only provides a natural upper bound for the maximum average energy prices that customers are willing to accept, but also indicates the uncertainty level of VERs. In particular, a larger  $\bar{p}$  indicates that the uncertainty of VERs is higher since  $\xi_n$  is totally random in  $[0, \bar{p}]$ ,  $\forall n \in \mathcal{N}$ . In the extreme case when  $\bar{p}$  is arbitrarily large, the customers are arbitrarily heterogeneous in the sense that the next customer may accept an extremely-high energy price.

*Setup:* Based on Assumption 1, we define all the information known by the TE retailer by  $\mathcal{S}$  as follows:

$$\mathcal{S} \triangleq \{ \{b_t, c_t, f_t\}_{\forall t}, \bar{p} \}, \quad (13)$$

which includes the base load profile  $\{b_t\}_{\forall t}$ , the capacity limit  $\{c_t\}_{\forall t}$ , the cost coefficients in function  $\{f_t\}_{\forall t}$ , and the upper bound  $\bar{p}$ . In the following,  $\mathcal{S}$  is referred to as a *setup*. Other than the setup  $\mathcal{S}$ , we consider all other information is unknown. Therefore, for a given setup  $\mathcal{S}$ , the competitive ratio of PPM $_{\Phi}$  can only depend on  $\mathcal{S}$ , and must be independent of other factors such as the number of customers, the valuation and the demand of customers, etc.

### III. OPTIMAL DESIGN

In this section, we present the major results of this paper. We start by introducing two heuristic pricing schemes, and then describe the principles of our optimal pricing function design. After that, we characterize the optimal competitive ratio  $\alpha^*(\mathcal{S})$  and present the optimal pricing scheme  $\Phi = \{\Phi_t^*\}_{\forall t}$ .

#### A. Two Heuristic Pricing Schemes

To reveal the intuition of our optimal pricing function design, in this subsection we introduce two heuristic pricing schemes that are designed purely based on the initial marginal cost  $f'_t(b_t)$ , the maximum marginal cost  $f'_t(c_t)$ , and the upper bound  $\bar{p}$ . For notational convenience, let us define  $p_t^b$  and  $p_t^c$  as follows:

$$p_t^b \triangleq f'_t(b_t), p_t^c \triangleq f'_t(c_t), \quad \forall t \in \mathcal{T}. \quad (14)$$

For simplicity of exposition, in the following we assume that  $\bar{p} > \max_t \{p_t^c\}$  always holds,<sup>6</sup> namely, the upper bound  $\bar{p}$  is larger than the maximum marginal cost of all time slots. In particular, we define the complete set of  $\bar{p}$ 's by  $\mathcal{P}$  as follows:

$$\bar{p} \in \mathcal{P} \triangleq (\max_t \{p_t^c\}, +\infty). \quad (15)$$

Based on  $p_t^b$ ,  $p_t^c$ , and  $\bar{p}$ , we give the following two pricing schemes:

- **Linear.** For each time slot  $t \in \mathcal{T}$ , the pricing function of this scheme is given by

$$\Phi_t^{\text{linear}}(y) = \frac{\bar{p} - p_t^b}{c_t - b_t}(y - b_t) + p_t^b, \quad y \in [b_t, c_t], \quad (16)$$

which is linear w.r.t. the total power consumption by directly connecting  $p_t^b$  and  $\bar{p}$ . The implementation of PPM $_{\Phi}$  with this pricing scheme will be referred to as **Linear** hereinafter.

- **Greedy.** For each time slot  $t \in \mathcal{T}$ , the pricing function of this scheme is given by

$$\Phi_t^{\text{greedy}}(y) = f'_t(y), \quad y \in [b_t, c_t], \quad (17)$$

which simply uses the marginal cost function as the pricing function when  $y \in [b_t, c_t]$ . This is a greedy pricing scheme and the available capacity will be sold without any reservation for possible future high-VER customers. The implementation of PPM $_{\Phi}$  with this pricing scheme will be referred to as **Greedy** hereinafter.

Fig. 1 illustrates  $\Phi_t^{\text{linear}}(y)$ ,  $\Phi_t^{\text{greedy}}(y)$ , and other two pricing functions  $\hat{\Phi}_t(y)$  and  $\Phi_t(y)$ . It can be seen that **Greedy** always has a cheaper selling price than **Linear** except the initial price  $p_t^b$ . In particular, **Greedy** does not depend on  $\bar{p}$ , meaning that **Greedy** always depletes the available capacity myopically, regardless of the valuations of future customers. In contrast, **Linear** sets the price based on  $\bar{p}$  in a linear manner, and thus **Linear** attempts to reserve some capacity for future arrivals with high-VERs. In the following, we will say pricing

<sup>6</sup>It is possible to relax this assumption, which however will complicate the exposition. Please refer to [31] for a detailed discussion of how to extend our current design without this assumption.




Fig. 1. Illustration of different pricing functions with dividing thresholds.

scheme “A” is more *aggressive* than pricing scheme “B” if “A” always sets the price cheaper than “B” for the same power consumption level. In this regard, **Greedy** is more aggressive than **Linear**, and the aggressiveness of the four pricing strategies in Fig. 1 in ascending order is given as follows:  $\Phi_t^{\text{linear}}(y)$ ,  $\hat{\Phi}_t(y)$ ,  $\Phi_t(y)$ ,  $\Phi_t^{\text{greedy}}(y)$ . Intuitively, a less aggressive pricing scheme tends to believe the usefulness of  $\bar{p}$  and will try to reserve some available capacity for potential future high-VER customers. In economics, an aggressive pricing strategy<sup>7</sup> is also known as a predatory pricing strategy [14].

*Dividing Threshold:* Given a pricing function  $\Phi_t$ , we define its *dividing threshold* as the power consumption level  $u_t$  so that  $\Phi_t(u_t) = p_t^c$ , as shown in Fig. 1. Based on this definition, the dividing threshold of  $\Phi_t^{\text{linear}}(y)$ , denoted by  $u_t^{\text{lin}}$ , is given by

$$u_t^{\text{lin}} \triangleq b_t + \frac{p_t^c - p_t^b}{\bar{p} - p_t^b} \cdot (c_t - b_t), \quad (18)$$

namely,  $\Phi_t^{\text{linear}}(u_t^{\text{lin}}) = p_t^c$ ,  $\forall t \in \mathcal{T}$ . Similarly, the dividing threshold of  $\Phi_t^{\text{greedy}}(y)$  is  $c_t$  since  $\Phi_t^{\text{greedy}}(c_t) = p_t^c$ ,  $\forall t \in \mathcal{T}$ . Intuitively, for any  $u_t \in (b_t, c_t)$ , the whole interval  $[b_t, c_t]$  is divided into two segments by  $u_t$ , i.e.,  $[b_t, u_t]$  and  $[u_t, c_t]$ . We name these two stages as the *high-risk segment* and *low-risk segment*, and describe some key features of them as follows:

- *High-Risk Segment:*  $[b_t, u_t]$ . At this segment, the VER of any served customer may be smaller than the final marginal cost. Therefore, the pricing function design at this segment is risky in the sense that a customer may appear to have a reasonably-high VER now, but ultimately lead to negative social welfare contribution in the end. Thus, we refer to this segment as the high-risk segment. As illustrated by  $\Phi_t(y)$  in Fig. 1, a smaller dividing threshold  $u_t$  indicates a shorter high-risk segment, and the pricing function tends to be less aggressive, and vice versa.

<sup>7</sup>Usually, an aggressive pricing strategy undergoes a short-term pain for long-term gain by deliberately increasing the market share, and is considered anti-competitive in many jurisdictions [14]. However, since we consider only one TE retailer in our setting, the competition of market share among different TE retailers is beyond the scope of this paper.

- *Low-Risk Segment*:  $[u_t, c_t]$ . At this segment, all the served customers will lead to positive social welfare contribution since their VERs are always larger than or equal to the maximum marginal cost  $p_t^c$ . Therefore, we refer to this stage as the low-risk segment.

The above descriptions suggest that the pricing function design for the high-risk segment should be inherently different from the low-risk segment. From this perspective, **Linear** fails to distinguish the pricing function design between these two segments. For example, when  $\bar{p}$  is very large, a simple linear pricing function will set the prices too high at the high-risk segment (i.e., overreact to  $\bar{p}$ ), leading to excessive refusal of customers. In comparison, **Greedy** completely overlooks the usage of  $\bar{p}$ . As a consequence, **Greedy** will fail to reserve some capacity for potential high-VER customers in the future. In other words, **Linear** is over optimistic for the usefulness of  $\bar{p}$  while **Greedy** is over pessimistic. For both pricing schemes, we can expect that their performances are sensitive towards the changes of  $\bar{p}$ .

### B. Conditions for PPM $_{\Phi}$ Being Competitive

Motivated by the discussions of the two heuristic pricing schemes in the previous subsection, we aim at designing a pricing scheme that takes into account the useful information of  $\bar{p}$ , but will not overreact to  $\bar{p}$  to avoid excessive customer refusal at the high-risk segment. In particular, given a setup  $\mathcal{S}$ , we are interested in understanding whether the curvature of  $\Phi_t(y)$  can be designed in a strategic way so as to achieve a ‘smart’ balance between **Linear** and **Greedy**, namely, a balance between optimism and pessimism. This subsection shows that such nonlinear pricing functions indeed exist, provided that they satisfy a certain conditions.

Below we first give Theorem 1 to summarize the sufficient conditions for  $\Phi = \{\Phi_t(y)\}_{\forall t \in \mathcal{T}}$  to guarantee that PPM $_{\Phi}$  has a bounded competitive ratio.

*Theorem 1 (Sufficiency):* Given a setup  $\mathcal{S}$  with  $\bar{p} \in \mathcal{P}$ , PPM $_{\Phi}$  is  $\max_t \{\alpha_t\}$ -competitive and incentive compatible if for each  $t \in \mathcal{T}$ ,  $\Phi_t(y)$  satisfies the following conditions:

- **C1**):  $\Phi_t(b_t) = p_t^b$  and  $\Phi_t(c_t) \geq \bar{p}$ .
- **C2**):  $\Phi_t(y)$  is strictly increasing in  $y \in [b_t, c_t]$ .
- **C3**):  $\Phi_t(y)$  satisfies the following two ODEs with dividing threshold  $u_t \in (b_t, c_t)$ :

$$\Phi_t'(y) = \begin{cases} \alpha_t \cdot \frac{\Phi_t(y) - f_t'(y)}{f_t'^{-1}(\Phi_t(y)) - b_t} & \text{if } y \in [b_t, u_t], \\ \alpha_t \cdot \frac{\Phi_t(y) - f_t'(y)}{c_t - b_t} & \text{if } y \in [u_t, c_t], \end{cases} \quad (19)$$

where  $f_t'^{-1}$  denotes the inverse of  $f_t'$ , and  $\alpha_t \geq 1$  is a competitive ratio parameter that depends on  $\mathcal{S}$  only.

We also give Theorem 2 below to show that the existence of pricing schemes to satisfy the three conditions in Theorem 1 is necessary for the existence of any general  $\alpha$ -competitive online algorithm.

*Theorem 2 (Necessity):* Given a setup  $\mathcal{S}$  with  $\bar{p} \in \mathcal{P}$ , if there exists an  $\alpha$ -competitive online algorithm, then for each  $t \in \mathcal{T}$ , there must exist a pricing function  $\Phi_t(y)$  that satisfies

**C1**, **C2**, and **C3** with some dividing threshold  $u_t \in (b_t, c_t)$  and competitive ratio parameter  $\alpha_t \leq \alpha$ .

*Proof:* We note that the three sufficient conditions in Theorem 1 are derived based on the online primal-dual analysis [32] of Problem (2), and the proof of the necessity in Theorem 2 is based on constructing a special arrival instance such that any  $\alpha$ -competitive online algorithm must satisfy the above three conditions in order to achieve at least  $1/\alpha$  of the offline optimal social welfare. The detailed proofs of the above two theorems are given in [31].  $\square$

*Rationality and Intuition:* The three conditions in Theorem 1 are critical in our following pricing function design. Below we briefly explain the rationality and intuition behind Theorem 1 and Theorem 2.

- **Rationality of  $\Phi_t(b_t) = p_t^b$  in C1.** We can prove that if  $\Phi_t(b_t) = p_t^b$  does not hold for all  $t \in \mathcal{T}$ , then it is always possible to construct an arrival instance such that  $W_{\text{opt}} \neq 0$  but  $W_{\text{ppm}} = 0$ , leading to an unbounded competitive ratio. For example, if  $\Phi_t(b_t) > p_t^b$  holds for  $t = t_0$ , then we can construct a sequence of customers who intend to purchase some power for time slot  $t_0$  only with VERs drawn from  $(p_{t_0}^b, \Phi_{t_0}(b_{t_0}))$ . For such an arrival instance, no customer will make a purchase under PPM $_{\Phi}$  (i.e.,  $W_{\text{ppm}} = 0$ ) while  $W_{\text{opt}} \neq 0$ . Obviously, all the four pricing functions illustrated in Fig. 1 satisfy this necessary condition.
- **Intuition of C2 and C3.** The monotonicity condition **C2** is because a higher power consumption indicates a higher supply cost, and consequently leads to a higher selling price. The ODEs in Eq. (19) are derived based on a principled primal-dual analysis of Problem (2). Note that for both ODEs in Eq. (19), the right-hand-side consists of  $\Phi_t(y) - f_t'(y)$ , which is the difference between the selling price  $\Phi_t(y)$  and the marginal cost  $f_t'(y)$ . Therefore, **C3** provides an analytical way to design the curvatures of  $\{\Phi_t(y)\}_{\forall t \in \mathcal{T}}$  so that a smart balance between **Linear** and **Greedy** can be achieved. Moreover, Eq. (19) explicitly shows that the curvature of  $\Phi_t$  is directly related to the dividing threshold  $u_t$  and the competitive ratio parameter  $\alpha_t$ , which follows our intuition.

Before leaving this subsection, it is worth pointing out that Theorem 2 does not necessarily require that all  $\alpha$ -competitive online algorithms must be PPMs (online algorithms/mechanisms have various types and structures). Instead, Theorem 2 argues that if there exists any general  $\alpha$ -competitive online algorithm/mechanism for a given setup  $\mathcal{S}$ , then there must exist a pricing function  $\Phi_t(y)$  for each time slot  $t \in \mathcal{T}$  that satisfies the three conditions in Theorem 1. In the next subsection we show that the necessity of Theorem 2 plays a critical role in our optimal pricing function design.

### C. Existence, Uniqueness, and Optimality

Below in Theorem 3, we show the major results of this paper, namely, the existence of a unique dividing threshold  $u_t^* \in (b_t, c_t)$  for each  $t \in \mathcal{T}$  such that the optimal competitive ratio achievable by all online mechanisms can be characterized.

*Theorem 3 (Existence, Uniqueness, and Optimality):*

Given a setup  $\mathcal{S}$  with  $\bar{p} \in \mathcal{P}$ , for each  $t \in \mathcal{T}$ , there exists a unique pricing function  $\Phi_t^*(y)$  that satisfies

- **OC1**:  $\Phi_t^*(b_t) = p_t^b$  and  $\Phi_t^*(c_t) = \bar{p}$ .
- **OC2**:  $\Phi_t^*(y)$  is strictly increasing in  $y \in [b_t, c_t]$ .
- **OC3**:  $\Phi_t^*(y)$  satisfies the ODEs in Eq. (19) with  $u = u_t^*$  and  $\alpha_t = \Gamma_t(u_t^*)$ , where  $\Gamma_t(u_t^*)$  is a function of  $u_t^* \in (b_t, c_t)$  given as follows:

$$\Gamma_t(u_t^*) = \begin{cases} \frac{(c_t - b_t)^2}{(u_t^* - b_t)(c_t - u_t^*)} & \text{if } u_t^* \in \left(b_t, \frac{b_t + c_t}{2}\right), \\ 4 & \text{if } u_t^* \in \left[\frac{b_t + c_t}{2}, c_t\right), \end{cases} \quad (20)$$

and the dividing threshold  $u_t^* \in (b_t, c_t)$  is the unique root to the following equation

$$\frac{c_t - u_t^* - \frac{c_t - b_t}{\Gamma_t(u_t^*)}}{\exp\left(\frac{u_t^*}{c_t - b_t} \cdot \Gamma_t(u_t^*)\right)} = \frac{f_t^{-1}(\bar{p}) - c_t - \frac{c_t - b_t}{\Gamma_t(u_t^*)}}{\exp\left(\frac{c_t}{c_t - b_t} \cdot \Gamma_t(u_t^*)\right)}. \quad (21)$$

Meanwhile, the implementation of  $\text{PPM}_{\Phi}$  with  $\Phi = \{\Phi_t^*(y)\}_{\forall t}$  achieves an optimal competitive ratio of  $\alpha^*(\mathcal{S})$ , where  $\alpha^*(\mathcal{S})$  is given by

$$\alpha^*(\mathcal{S}) = \max_{t \in \mathcal{T}} \{\Gamma_t(u_t^*)\}. \quad (22)$$

*Proof:* The proof of the above existence, uniqueness, and optimality is non-trivial, and the details are given in [31]. Our proof heavily relies on the uniqueness and existence properties of first-order ODEs with boundary conditions [33], [34]. Note that the three conditions **OC1-OC3** in Theorem 3 correspond to the three conditions **C1-C3** in Theorem 1, respectively, where ‘OC’ is short for ‘optimal condition’.  $\square$

Theorem 3 shows that there exists an optimal pricing scheme  $\Phi = \{\Phi_t^*(y)\}_{\forall t}$ , with optimal dividing thresholds  $\{u_t^*\}_{\forall t}$ , such that  $\text{PPM}_{\Phi}$  achieves the optimal competitive ratio of  $\alpha^*(\mathcal{S})$ , namely, no other online mechanisms can achieve a better competitive ratio than  $\text{PPM}_{\Phi}$  if  $\Phi = \{\Phi_t^*\}_{\forall t}$ . Note that both  $\{u_t^*\}_{\forall t}$  and  $\{\Gamma_t(\cdot)\}_{\forall t}$  depend on  $\mathcal{S}$  only, and thus the optimal competitive ratio also depends on  $\mathcal{S}$  only. We note that the optimality in Theorem 3 is based on the necessity in Theorem 2. Specifically, given a setup  $\mathcal{S}$  and for any  $t \in \mathcal{T}$ , we can prove that when  $\alpha_t < \alpha^*(\mathcal{S})$ , there exists no such a strictly-increasing pricing function that satisfies the two ODEs in Eq. (19) with the two boundary conditions given by **C1**, and thus it is impossible to have an online algorithm that is  $(\alpha^*(\mathcal{S}) - \epsilon)$ -competitive,  $\forall \epsilon > 0$ .

Based on the above analysis, the following two corollaries directly follow Theorem 3.

*Corollary 4:* For any  $\epsilon > 0$ , there exists no  $(\alpha^*(\mathcal{S}) - \epsilon)$ -competitive online algorithms/mechanisms.

*Corollary 5:* For any  $\epsilon \geq 0$ , there exists a pricing scheme  $\Phi = \{\Phi_t\}_{\forall t}$  so that  $\text{PPM}_{\Phi}$  is  $(\alpha^*(\mathcal{S}) + \epsilon)$ -competitive and incentive compatible.

*Proof:* Note that Corollary 5 guarantees the existence of competitive and incentive compatible pricing schemes for  $\text{PPM}_{\Phi}$ , while Corollary 4 holds for general online algorithms. The detailed proofs for these two corollaries are given in [31].  $\square$

*Lemma 6:* If we define the unique root of Eq. (21) in variable  $u_t^* \in (b_t, c_t)$  as a function of  $\bar{p} \in \mathcal{P}$  as follows:

$$u_t^* \triangleq \Lambda_t(\bar{p}), \quad (23)$$

then  $\Lambda_t(\bar{p})$  is strictly decreasing in  $\bar{p} \in \mathcal{P}$ .

*Proof:* Proving the monotonicity of  $\Lambda_t(\bar{p})$  is elementary, and the detailed proof is given in [31].  $\square$

The intuition of Lemma 6 is as follows: when  $\bar{p}$  is larger, to achieve the optimal competitive ratio of  $\alpha^*(\mathcal{S})$ ,  $\{\Phi_t^*\}_{\forall t}$  tends to become less aggressive by having a smaller  $\{u_t^*\}_{\forall t}$ . In Fig. 1, the monotonicity of  $\Lambda_t(\bar{p})$  means that a larger  $\bar{p}$  will lift the pricing curve higher (but the lower bound  $p_t^b$  will remain unchanged) and thus the optimal dividing threshold  $u_t^*$  shifts towards the left, and vice versa.

If we assume  $\bar{p}_t^{\text{cut}}$  satisfies  $\Lambda_t(\bar{p}_t^{\text{cut}}) = \frac{b_t + c_t}{2}$ , then  $\bar{p}_t^{\text{cut}}$  can be calculated as follows:

$$\bar{p}_t^{\text{cut}} \triangleq \Lambda_t^{-1}\left(\frac{b_t + c_t}{2}\right) = p_t^c + \frac{1 + e^2}{4} \cdot (p_t^c - p_t^b), \quad (24)$$

where  $\bar{p}_t^{\text{cut}}$  is defined to be a *cut-off* point for  $\bar{p} \in \mathcal{P}$ . Since  $\Lambda_t(\bar{p})$  is strictly decreasing in  $\bar{p} \in \mathcal{P}$ , we have

- when  $\bar{p} = \bar{p}_t^{\text{cut}}$ ,  $u_t^* = \Lambda_t(\bar{p}) = \frac{b_t + c_t}{2}$ ;
- when  $\bar{p} \geq \bar{p}_t^{\text{cut}}$ ,  $u_t^* = \Lambda_t(\bar{p}) \in (b_t, \frac{b_t + c_t}{2})$ ,
- when  $\bar{p} < \bar{p}_t^{\text{cut}}$ ,  $u_t^* = \Lambda_t(\bar{p}) \in (\frac{b_t + c_t}{2}, c_t)$ .

Note that based on Eq. (24),  $\bar{p}_t^{\text{cut}} > p_t^c$  always holds since  $c_t > b_t$ , or equivalently,  $p_t^c > p_t^b$ .

Based on Theorem 3 and the above analysis, when  $\bar{p} \leq \bar{p}_t^{\text{cut}}$  holds for all  $t \in \mathcal{T}$ , i.e., when  $\max_{t \in \mathcal{T}} \{\bar{p}_t^c\} \leq \bar{p} \leq \min_{t \in \mathcal{T}} \{\bar{p}_t^{\text{cut}}\}$ , the optimal competitive ratio  $\alpha^*(\mathcal{S}) = 4$  regardless of having exact knowledge of  $\bar{p}$ . This result is, in our opinion, very counter-intuitive since it has been argued in many literature (e.g., [32], [35]) that the exact knowledge of such upper bound information is necessary in order to achieve a bounded competitive ratio. Here our results show that it is actually not necessary in this scenario. However, when  $\bar{p} \leq \min_{t \in \mathcal{T}} \{\bar{p}_t^{\text{cut}}\}$  does not hold, the optimal competitive ratio  $\alpha^*(\mathcal{S}) > 4$ , and it indeed depends on  $\bar{p}$ .

We note that when  $\bar{p} \neq \bar{p}_t^{\text{cut}}$ , calculating the optimal dividing thresholds  $\{u_t^* = \Lambda_t(\bar{p})\}_{\forall t}$  requires solving the nonlinear equation (21) for each time slot  $t \in \mathcal{T}$ . However, this is a lightweight task and can be computed via various numerical methods such as bisection searching. Moreover, the computation of  $\{u_t^*\}_{\forall t}$  can be performed offline (before running  $\text{PPM}_{\Phi}$ ).

#### D. Optimal Pricing Functions

In this subsection, we present the optimal pricing functions  $\{\Phi_t^*(y)\}_{\forall t}$  that achieve the optimal competitive ratio of  $\alpha^*(\mathcal{S})$ . Our optimal pricing function design is based on Theorem 3 and consists of the following two steps. First, for each given setup  $\mathcal{S}$  with  $\bar{p} \in \mathcal{P}$ , we solve Eq. (21) to get the optimal dividing threshold  $u_t^*$  for each time slot  $t \in \mathcal{T}$ , and then obtain the optimal competitive ratio parameter  $\alpha_t = \Gamma_t(u_t^*)$  based on Eq. (20). Second, we substitute  $u_t = u_t^*$  and  $\alpha_t = \Gamma_t(u_t^*)$  into Eq. (19), and then get the optimal pricing function  $\Phi_t^*$  by solving the ODEs in Eq. (19) with the boundary conditions

**OC1.** Based on Theorem 3, the resulting optimal pricing functions  $\{\Phi_t^*\}_{\forall t \in \mathcal{T}}$  are guaranteed to satisfy the monotonicity condition **OC2**.

Before presenting the specific forms of  $\{\Phi_t^*(y)\}_{\forall t}$ , we first give the following lemma and definition.

*Lemma 7:* Suppose the optimal dividing threshold  $u_t^* \in (\frac{b_t+c_t}{2}, c_t)$ , then for any  $y \in (b_t, u_t^*)$ , the following equation has a unique root in  $H_t \in (y - b_t, 2(y - b_t))$ :

$$\frac{2(y - b_t)}{H_t - 2(y - b_t)} - \frac{2(u_t^* - b_t)}{c_t + b_t - 2u_t^*} = \ln\left(\frac{H_t - 2(y - b_t)}{c_t + b_t - 2u_t^*}\right). \quad (25)$$

*Proof:* The proof is related to Theorem 8 below, and the details are given in [31].  $\square$

We define the above one-to-one mapping by  $H_t(y; u_t^*)$ , where  $y \in (b_t, u_t^*)$  and  $u_t^* \in (\frac{b_t+c_t}{2}, c_t)$ . Below in Definition 1, we define another similar function  $L_t(y; u_t^*)$  as a function of  $y \in (u_t^*, c_t]$  for any given optimal dividing threshold  $u_t^* \in (b_t, c_t)$ .

*Definition 1:* Given the optimal dividing threshold  $u_t^* \in (b_t, c_t)$ , let us define  $L_t(y; u_t^*)$  as a function of  $y \in [u_t^*, c_t]$  by

$$L_t(y; u_t^*) \triangleq \frac{p_t^c - f_t'(u_t^*) - \frac{p_t^c - p_t^b}{\Gamma_t(u_t^*)}}{\exp\left(\frac{\Gamma_t(u_t^*) \cdot u_t^*}{c_t - b_t}\right)} \cdot \exp\left(\frac{\Gamma_t(u_t^*) \cdot y}{c_t - b_t}\right) + \frac{p_t^c - p_t^b}{\Gamma_t(u_t^*)}. \quad (26)$$

The above two functions  $H_t(y; u_t^*)$  and  $L_t(y; u_t^*)$  are defined for the high-risk segment and the low-risk segment, respectively. We emphasize that both  $H_t(y; u_t^*)$  and  $L_t(y; u_t^*)$  are derived from solving the two ODEs in Eq. (19). Based on the these two functions, below we present the optimal pricing scheme  $\Phi = \{\Phi_t^*(y)\}_{\forall t}$  that achieves the optimal competitive ratio of  $\alpha^*(\mathcal{S})$ .

*Theorem 8 (Optimal Pricing Functions):* Given a setup  $\mathcal{S}$  with  $\bar{p} \in \mathcal{P}$ ,  $PPM_{\Phi}$  is  $\alpha^*(\mathcal{S})$ -competitive if  $\Phi = \{\Phi_t^*(y)\}_{\forall t}$ , where  $\Phi_t^*(y)$  is given as follows:

- Case-1:  $\bar{p} \geq \bar{p}_t^{\text{cut}}$ . In this case,  $\Phi_t^*(y)$  is given by:

$$\Phi_t^*(y) = \begin{cases} \frac{p_t^c - p_t^b}{u_t^* - b_t}(y - b_t) + p_t^b, & \text{if } y \in [b_t, u_t^*), \\ f_t'(y) + L_t(y; u_t^*), & \text{if } y \in [u_t^*, c_t]. \end{cases} \quad (27)$$

- Case-2:  $\bar{p} < \bar{p}_t^{\text{cut}}$ . In this case,  $\Phi_t^*(y)$  is given by:

$$\Phi_t^*(y) = \begin{cases} p_t^b, & \text{if } y = b_t, \\ f_t'(b_t + H_t(y; u_t^*)), & \text{if } y \in (b_t, u_t^*), \\ f_t'(y) + L_t(y; u_t^*), & \text{if } y \in [u_t^*, c_t]. \end{cases} \quad (28)$$

*Proof:* The functions given by Eq. (27) and Eq. (28) are derived by solving the two ODEs in Eq. (19) with the two boundary conditions in **OC1**. The detailed proof is given in [31].  $\square$

We illustrate the optimal pricing functions of both cases in Fig. 2. As can be seen, Fig. 2(a) shows the optimal pricing function in Case-1, where  $u_t^* \in (b_t, \frac{b_t+c_t}{2}]$ , and the optimal pricing function is always linear at the high-risk segment and grows exponentially fast at the low-risk segment. In this case, the TE retailer tends to believe that there will be high-VER




Fig. 2. Illustration of the optimal pricing function. Subfigure (a):  $\bar{p} \geq \bar{p}_t^{\text{cut}}$  and  $u_t^* \in (b_t, \frac{b_t+c_t}{2}]$ ; Subfigure (b):  $\bar{p} < \bar{p}_t^{\text{cut}}$  and  $u_t^* \in (\frac{b_t+c_t}{2}, c_t)$ .

customers in the future (since  $\bar{p}$  is large) and thus sets the price less aggressively. Fig. 2(b) illustrates the optimal pricing function in Case-2, where  $u_t^* \in (\frac{b_t+c_t}{2}, c_t)$ . We can see from Fig. 2(b) that the optimal pricing function grows slowly at the high-risk segment (a concave pricing function) since the TE retailer tends to believe that there is no high-VER customer in the future (since  $\bar{p}$  is small).

Note that in Case-1, the optimal pricing function is analytically given by Eq. (27) except the numerical computation of the optimal dividing threshold  $u_t^*$  (which can be computed offline, as mentioned previously). In comparison, the optimal pricing function in Case-2 needs some extra computation of  $H_t(y; u_t^*)$  by solving Eq. (25) numerically for each updated power consumption level  $y \in (b_t, u_t^*)$ , and moreover, this must be performed ‘on-the-fly’ (during the running of  $PPM_{\Phi}$ ). However, we argue that this should not be a concern for the online implementation of  $PPM_{\Phi}$  since the computation is lightweight. Moreover, for each customer  $n$ , we just need to solve Eq. (25) for the time slots whose total power consumption levels have been updated (i.e., the time slots within  $\mathcal{T}_n$ ).

## IV. CASE STUDIES

In this section, we evaluate  $PPM_{\Phi}$  based on extensive experimental simulations. We start by introducing the setup of our experiments, and then describe the detailed numerical results and insights.

### A. Experimental Setup

We validate the performance of  $PPM_{\Phi}$  through the case of EV charging. We use a set of driving traces for GPS-equipped taxi vehicles from [36] to construct a market-based online EV charging setting. The detailed experimental setup is as follows. We simulate over a horizon of 24 hours with  $\Delta_T = 1/2$  hour per time slot. Therefore, we have  $T = 48$  time slots in total. The base load  $\{b_t\}_{\forall t}$  in our simulation is the real-world load data from NYISO<sup>8</sup> and varies within 1300 kW and 1650 kW. The capacity limit is set to be  $c_t = 1.7 \times 10^3$  kW for all time slots unless otherwise specified, and thus we may refer to the capacity limit by  $c$  without the time index. The

<sup>8</sup><https://www.nyiso.com/load-data>

cost coefficients of  $f_t(\cdot)$ , namely  $a_{t,2}, a_{t,1}$  and  $a_{t,0}$ , are also assumed to be time-invariant, and thus we drop the time index and assume  $a_2 = 10^{-4}$  \$/kWh/kW,  $a_1 = 10^{-4}$  \$/kWh, and  $a_0 = 0$ . By this setup, the marginal cost is around  $0.26 \sim 0.34$  \$/kWh within the available capacity.

1) *Real-World Trace Setup*: We consider a group of  $N = 1000$  EVs, and for each EV  $n$ , we consider its arrival and departure times are randomly drawn from the real-world traces of GPS-equipped taxi vehicles [36]. The charging power  $r_n^t$  for customer  $n$  is assumed to be time invariant (i.e., the ideal charging process), and thus we drop the time index and assume  $r_n$  is randomly drawn from  $[3.7, 7, 22]$  kW, which are typical charging rates of Tesla Model S.<sup>9</sup> The total energy demand of customer  $n$  is given by  $e_n = |\mathcal{T}_n| \cdot r_n \Delta T$ , where  $|\mathcal{T}_n|$  is the charging duration of customer  $n$ . Based on the energy demand  $e_n$  of customer  $n$ , the valuation  $v_n$  is given by  $v_n = \xi_n e_n$ , where  $\xi_n$  is the VER of EV  $n$ . In our simulation,  $\xi_n$  is randomly drawn from a truncated Gaussian distribution with mean  $\mu$ , variance  $\sigma$ , lower bound  $lb$  and upper bound  $ub$ , as follows:

$$\xi_n \sim \text{TruncGaussian}(\mu, \sigma, lb, ub).$$

Since the average marginal cost is around 0.3, a reasonable setup should have  $\mu \geq 0.3$ . Therefore, throughout our simulation,  $\mu$  is drawn from  $[0.3, 0.7]$  and  $\sigma$  varies within  $[0.01, 2]$ . Meanwhile, we set  $lb = 0.2$  and  $ub = 1$  for all the time unless otherwise specified. For this case, we assume the upper bound  $\bar{p} = \max_n \{\xi_n\} = ub = 1$ .

2) *Extreme-Case Setup*: Other than generating the VERs of all the EVs by the aforementioned truncated Gaussian distribution, we also artificially construct the following extreme cases to test the performance and robustness of our proposed online mechanism. Moreover, we are interested in understanding whether the value of  $\bar{p}$  influences the performance and robustness of  $\text{PPM}_{\Phi}$  since it plays a critical role in our pricing function design. The extreme cases are constructed as follows: First, we consider the same setting of EVs as the above Real-World Trace Setup in terms of  $N$  and  $\{e_n, r_n, \mathcal{T}_n\}_{\forall n}$ , but the VERs are generated in the following three extreme cases:

- **High-Low Case**. This is the case where the VERs  $\{\xi_n\}_{\forall n}$  of the first 500 customers are generated with  $(\mu, \sigma, lb, ub) = (0.7, 0.1, 0.6, 1)$ , and the second 500 customers are generated with  $(\mu, \sigma, lb, ub) = (0.3, 0.1, 0.2, 0.5)$ . Therefore, the first-half customers have high VERs while the second-half have low VERs.
- **Constant Case**. This is the case where the VERs  $\{\xi_n\}_{\forall n}$  are generated with  $(\mu, \sigma, lb, ub) = (0.5, 0, 0.5, 0.5)$  for all 1000 customers, namely,  $\xi_n = 0.5$  for all  $n \in \mathcal{N}$ .
- **Low-High Case**. This is the case where the VERs of all the customers are constructed in the opposite way to the above High-Low Case.

Third, for all the three extreme cases, we assume  $\bar{p}$  is drawn from  $\{3, 4, 5, 6, 7\}$ . Note that in the High-Low Case and Low-High Case, we have  $\max_n \{\xi_n\} = 1$ , and in the Constant Case, we have  $\max_n \{\xi_n\} = 0.5$ . Thus, our setup of  $\bar{p} =$




Fig. 3. Empirical ratios of different online mechanisms w.r.t.  $\sigma \in [0.1, 2]$  under different settings of  $\mu = 0.3, 0.5, 0.7$ . Each point in the figure is an average of 1000 evaluations.

$\{3, 4, 5, 6, 7\}$  is feasible since  $\max_n \{\xi_n\} \leq \bar{p}$  always holds. The purpose of setting  $\bar{p}$  and  $\xi_n$  in such a way is to evaluate the performances of  $\text{PPM}_{\Phi}$  when  $\bar{p}$  deviates from the exact value of  $\max_n \{\xi_n\}$ . In reality, this can simulate the robustness of our proposed pricing mechanism when there exist estimation errors of  $\bar{p}$ .

## B. Benchmarks

We benchmark  $\text{PPM}_{\Phi}$  based on the offline optimal result by assuming complete knowledge of future information. The offline problem (2) is solved by Gurobi 8.1 via its Python API.<sup>10</sup> To compare the performance of different pricing schemes, we define the empirical ratio of an online mechanism by

$$\text{Empirical Ratio} \triangleq W_{\text{opt}}/W_{\text{online}}.$$

In the following figures, the results of our proposed  $\text{PPM}_{\Phi}$  with the optimal pricing scheme  $\Phi = \{\Phi_t^*\}_{\forall t}$  are simply marked as PPM, to differentiate it from the results by **Linear**, **Greedy** and **Offline**. Next we present our numerical results based on the above setup.

## C. Numerical Results

1) *Results Based on Real-World Trace Setup*: We first show the performances of  $\text{PPM}_{\Phi}$  based on the real-world trace setup and present our results in Fig. 3-Fig. 5. As shown in Fig. 3,  $\text{PPM}_{\Phi}$  shows a very competitive performance w.r.t. the changes of  $\mu$  and  $\sigma$ . In most cases, the empirical ratios of  $\text{PPM}_{\Phi}$  are below 2, and are very robust w.r.t. the changes of  $\mu$  and  $\sigma$ . Among the three online mechanisms, **Linear** performs the worst, and even the best empirical ratio of **Linear** is still larger than 8. Note that although the pricing function of **Linear** shares the same lower and upper bounds of our proposed pricing function in  $\text{PPM}_{\Phi}$ , these two mechanisms result in totally different empirical ratios. The big performance difference between  $\text{PPM}_{\Phi}$  and **Linear** demonstrates the effectiveness of our optimal pricing function design.

Fig. 3 also reveals some interesting results regarding **Greedy** and **Linear**. When the VERs of customers are less volatile, i.e., a smaller  $\sigma$ , **Greedy** depicts approximately the

<sup>9</sup><https://pod-point.com/landing-pages/tesla-charging>

<sup>10</sup><http://www.gurobi.com/index>




Fig. 4. Total power consumption profiles under different mechanisms with arrivals occur within  $[0, 20]$  and  $[0, 6]$ . In both figures,  $(\mu, \sigma) = (0.7, 1)$ .




Fig. 5. Impact of the number of customers  $N$  and the total capacity  $c$  on the performances of online mechanisms. Each point in the figure is an average of 1000 evaluations. For all the three figures,  $(\beta, \sigma) = (0.5, 1)$ .

same performance as  $\text{PPM}_{\Phi}$ , as shown in all the three subfigures in Fig. 3 when  $\sigma = 0.01$ . This is not a surprising result since when  $\sigma$  is extremely small, all the customers are similar in terms of VERs, and thus a myopic pricing scheme performs good enough since the future arrivals will be almost the same as the current one. When  $\sigma$  increases (i.e., the valuations become more volatile), the empirical ratio of **Linear** always improves until becomes stable around 8, regardless of the values of  $\mu$ . However, **Greedy** in general performs worse w.r.t. the increasing of  $\sigma$ . In particular, Fig. 3(a) shows that when  $\mu$  is small, **Greedy** first starts to perform worse and then performs better until its empirical ratios become stable around 3. However, Fig. 3(c) shows that when  $\mu$  is large, **Greedy** always performs worse when  $\sigma$  increases and then becomes stable. Therefore, both **Linear** and **Greedy** are sensitive to the mean and variance of VERs, while  $\text{PPM}_{\Phi}$  are not.

To better illustrate the difference among all the mechanisms, we plot one instance of the total power consumption profiles in Fig. 4 when EV arrivals occur within  $[0, 20]$  and  $[0, 6]$ . Among all the mechanisms, **Greedy** always has the quickest depletion of the available capacity. In contrast, **Linear** consumes the least power since most customers cannot afford the price posted by **Linear**. In between,  $\text{PPM}_{\Phi}$  achieves a good balance between aggressiveness and conservativeness, leading to a good performance in empirical ratios. Note that for both figures in Fig. 4, **Greedy** and **Offline** both deplete the whole available capacity, while  $\text{PPM}_{\Phi}$  tends to reserve some capacity for future use. This is the key smartness of  $\text{PPM}_{\Phi}$  since it avoids the cases when high-VER customers who come at a latter stage cannot consume any energy due to the capacity limit.

Fig. 5 shows our results regarding whether the system scale (i.e., the number of customers  $N$ ) and the available capacity

(i.e.,  $c - b_t$ ) will influence the performance of our proposed online mechanisms. We vary  $N$  from 200 to 1000 and plot the empirical ratios of three online mechanisms when the capacity limit is  $c = 1650$  (scarce), 2000, 2400, 2800 (sufficient). We can see that the empirical ratios of all the three mechanisms become smaller when the available capacity becomes more sufficient. Meanwhile, **Greedy** tends to have a similar performance as  $\text{PPM}_{\Phi}$  when the available capacity is sufficient, but both **Greedy** and **Linear** have a poor performance when the available capacity is very limited, as can be seen in Fig. 5(a). The results in Fig. 5 is intuitive since a more limited available capacity indicates a more difficult and risky online decision-making, as every inappropriate decision made now (e.g., prices are set too cheap) might have no remedy in the future. Fig. 5 demonstrates that our proposed  $\text{PPM}_{\Phi}$  has a very competitive performance even if the available capacity is very limited (Fig. 5(a)). Moreover, the performance of  $\text{PPM}_{\Phi}$  is very robust when the number of customers increases, and thus is amenable for large-scale systems.

2) *Results Based on Extreme-Case Setup*: We next present the performance of  $\text{PPM}_{\Phi}$  based on the extreme-case setup in Fig. 6. As mentioned earlier in this section, we plot the empirical ratios of three online mechanisms w.r.t. the values of  $\bar{p}$  in the following three extreme cases: **High-Low Case**, **Constant Case**, and **Low-High Case**. Fig. 6(a) shows that  $\text{PPM}_{\Phi}$  achieves an empirical ratio around  $1.5 \sim 1.7$  in the **High-Low Case**. Meanwhile, the other two online mechanisms also achieve a decent performance. For example, the empirical ratios of **Greedy** are smaller than 2. This should be expected since the **High-Low Case** is easy in terms of online decision-making. Fig. 6(b) shows the performance of three online mechanisms in a relatively more difficult **Constant Case**. As shown in Fig. 6(b), when the VERs of all customers are constant, both **Greedy** and  $\text{PPM}_{\Phi}$  have a similar performance, while **Linear** performs much worse than **Greedy** and  $\text{PPM}_{\Phi}$ . A similar performance between **Greedy** and  $\text{PPM}_{\Phi}$  in the **Constant Case** is consistent with our results in Fig. 3 when  $\sigma$  is extremely small (e.g.,  $\sigma = 0.01$ ). Among the three extreme cases, the **Low-High Case** is the most difficult case since it is likely to deplete too much available capacity at the earlier stage and thus latter high-VER customers cannot make any purchase due to the capacity limit. However, kind of surprisingly, as shown in Fig. 6(c),  $\text{PPM}_{\Phi}$  still demonstrates a relatively competitive results (the empirical ratios are below 3 for most of the cases). As can be expected, **Greedy** fails to reserve enough capacity for future high-VER customers, leading to a very poor performance in the **Low-High Case**. Fig. 6(c) also shows that **Linear** performs better than **Greedy** when  $\bar{p}$  is small. This follows the intuition since it is reasonable to price as conservative as **Linear** in the **Low-High Case** for the purpose of future high-VER customers. However, a larger  $\bar{p}$  will make **Linear** excessively conservative, and thus **Linear** performs even worse than **Greedy** when  $\bar{p}$  is larger than 6.

In summary, from Fig. 6(a) to Fig. 6(c), the difficulty of online decision-making is increasing, and thus all the three online mechanisms shows a certain degree of performance degradation. However, Fig. 6 shows that  $\text{PPM}_{\Phi}$  achieves a very stable performance w.r.t.  $\bar{p}$ . We argue that this is kind




Fig. 6. Empirical ratios of different online mechanisms under three extreme cases. Each point in the figure is an average of 1000 evaluations.

of counter-intuitive, since  $\bar{p}$  is the upper bound of  $\Phi_t^*(y)$  and directly influences the calculation of the optimal dividing threshold  $u_t^*$ . Thus,  $\bar{p}$  is supposed to play a critical role in determining the final curvature of  $\Phi_t^*(y)$ . However, unlike **Linear**, the performance of PPM $_{\Phi}$  is not sensitive to the changes of  $\bar{p}$ . Note that our previous theoretic analyses provide no such guarantee, and thus we consider this is another advantage of our pricing function design.

## V. CONCLUSION

In this paper, we proposed a theoretic framework to study a general TE retailing problem in smart grid. In our studied problem, the TE retailer sells energy to customers that arrive in an arbitrary manner and may choose to purchase a certain amount of TE based on the current posted prices, or leave without buying anything. We proposed an optimal posted-pricing mechanism (PPM) for TE retailing without assuming any knowledge of future arrival information. Our proposed PPM is optimal in the sense that no other online mechanisms can achieve a better competitive ratio, and consequently, no other online algorithms can achieve a better performance in expectation. We evaluated the proposed online mechanism in the setting of online EV charging. Extensive experimental results show that our proposed PPM achieves a very competitive empirical result compared to its offline counterpart. Meanwhile, our proposed PPM is robust against system uncertainties and outperforms several existing benchmarks.

## REFERENCES

- [1] A.-H. Mohsenian-Rad, V. W. S. Wong, J. Jatskevich, R. Schober, and A. Leon-Garcia, "Autonomous demand-side management based on game-theoretic energy consumption scheduling for the future smart grid," *IEEE Trans. Smart Grid*, vol. 1, no. 3, pp. 320–331, Dec. 2010.
- [2] International Energy Agency. (2011). *Harnessing Variable Renewables—A Guide to the Balancing Challenge*. [Online]. Available: <https://bit.ly/2OVbaEV>
- [3] The GridWise Architecture Council. "Gridwise transactive energy framework," Dept. Energy, Washington, DC, USA, Tech. Rep. PNNL-22946, 2015. [Online]. Available: <https://bit.ly/2X1Sjfd>
- [4] NIST. *Transactive Energy: An Overview*. Accessed: Jun. 1, 2019. [Online]. Available: <https://bit.ly/2K3X8kh>
- [5] W. W. Hogan. (2014). *Time-of-Use Rates and Real-Time Prices*. [Online]. Available: [https://sites.hks.harvard.edu/fs/whogan/Hogan\\_TOU\\_RTP\\_Newark\\_082314.pdf](https://sites.hks.harvard.edu/fs/whogan/Hogan_TOU_RTP_Newark_082314.pdf)
- [6] G. Barbose, C. Goldman, and B. Neenan, "A survey of utility experience with real time pricing," Lawrence Berkeley Nat. Lab., Berkeley, CA, USA, Tech. Rep. LBNL-54238, [Online]. Available: <https://www.osti.gov/servlets/purl/836966>

- [7] E. Bitar and Y. Xu, "Deadline differentiated pricing of deferrable electric loads," *IEEE Trans. Smart Grid*, vol. 8, no. 1, pp. 13–25, Jan. 2017.
- [8] S. Li, W. Zhang, J. Lian, and K. Kalsi, "Market-based coordination of thermostatically controlled loads—Part I: A mechanism design formulation," *IEEE Trans. Power Syst.*, vol. 31, no. 2, pp. 1170–1178, Mar. 2016.
- [9] H. Hao, C. D. Corbin, K. Kalsi, and R. G. Pratt, "Transactive control of commercial buildings for demand response," *IEEE Trans. Power Syst.*, vol. 32, no. 1, pp. 774–783, Jan. 2017.
- [10] P. Samadi, H. Mohsenian-Rad, R. Schober, and V. W. S. Wong, "Advanced demand side management for the future smart grid using mechanism design," *IEEE Trans. Smart Grid*, vol. 3, no. 3, pp. 1170–1180, Sep. 2012.
- [11] H. Mohsenian-Rad, "Optimal demand bidding for time-shiftable loads," *IEEE Trans. Power Syst.*, vol. 30, no. 2, pp. 939–951, Mar. 2015.
- [12] N. Nisan, T. Roughgarden, E. Tardos, and V. V. Vazirani, *Algorithmic Game Theory*. Cambridge, U.K.: Cambridge Univ. Press, 2007.
- [13] Y. Shoham and K. Leyton-Brown, *Multiagent Systems: Algorithmic, Game-Theoretic, and Logical Foundations*. New York, NY, USA: Cambridge Univ. Press, 2008.
- [14] A. Mas-Colell, M. D. Whinston, and J. R. Green, *Microeconomic Theory*. London, U.K.: Oxford Univ. Press, 1995.
- [15] L. Einaiv, C. Farronato, J. Levin, and N. Sundaresan, "Auctions versus posted prices in online markets," *J. Political Economy*, vol. 126, no. 1, p. 18, 2018.
- [16] R. Wang, "Auctions versus posted-price selling," *Amer. Econ. Rev.*, vol. 83, no. 4, pp. 838–851, 1993.
- [17] A. Blum, A. Gupta, Y. Mansour, and A. Sharma, "Welfare and profit maximization with production costs," in *Proc. IEEE FOCS*, Oct. 2011, pp. 77–86.
- [18] J. Correa, P. Foncea, R. Hoeksma, T. Oosterwijk, and T. Vredeveld, "Posted price mechanisms for a random stream of customers," in *Proc. ACM Conf. Econ. Comput.*, 2017, pp. 169–186.
- [19] L. P. Qian, Y. J. A. Zhang, J. W. Huang, and Y. Wu, "Demand response management via real-time electricity price control in smart grids," *IEEE J. Sel. Areas Commun.*, vol. 31, no. 7, pp. 1268–1280, Jul. 2013.
- [20] A.-H. Mohsenian-Rad and A. Leon-Garcia, "Optimal residential load control with price prediction in real-time electricity pricing environments," *IEEE Trans. Smart Grid*, vol. 1, no. 2, pp. 120–133, Sep. 2010.
- [21] C. Chen, J. Wang, Y. Heo, and S. Kishore, "MPC-based appliance scheduling for residential building energy management controller," *IEEE Trans. Smart Grid*, vol. 4, no. 3, pp. 1401–1410, Sep. 2013.
- [22] X. Tan, A. Leon-Garcia, B. Sun, and D. H. K. Tsang, "A novel online mechanism for demand-side flexibility management under arbitrary arrivals," in *Proc. ACM e-Energy*, 2019, pp. 391–392.
- [23] E. H. Gerding, V. Robu, S. Stein, D. C. Parkes, A. Rogers, and N. R. Jennings, "Online mechanism design for electric vehicle charging," in *Proc. AAMAS*, May 2011, pp. 811–818.
- [24] Z. Zheng and N. Shroff, "Online welfare maximization for electric vehicle charging with electricity cost," in *Proc. ACM e-Energy*, Jun. 2014, pp. 253–263.
- [25] M. M. Nejad, L. Mashayekhy, R. B. Chinnam, and D. Grosu, "Online scheduling and pricing for electric vehicle charging," *IIEE Trans.*, vol. 49, no. 2, pp. 178–193, 2017.
- [26] B. Sun, X. Tan, and D. H. K. Tsang, "Eliciting multi-dimensional flexibilities from electric vehicles: A mechanism design approach," *IEEE Trans. Power Syst.*, vol. 34, no. 5, pp. 4038–4047, Sep. 2019.
- [27] M. Andoni *et al.*, "Blockchain technology in the energy sector: A systematic review of challenges and opportunities," *Renew. Sustain Energy Rev.*, vol. 100, pp. 143–174, Feb. 2019.
- [28] Z. Huang and A. Kim, "Welfare maximization with production costs: A primal dual approach," *Games Econ. Behav.*, to be published.
- [29] W. Tang, S. Bi, and Y. J. A. Zhang, "Online coordinated charging decision algorithm for electric vehicles without future information," *IEEE Trans. Smart Grid*, vol. 5, no. 6, pp. 2810–2824, Nov. 2014.
- [30] A. Borodin and R. El-Yaniv, *Online Computation and Competitive Analysis*. Cambridge, U.K.: Cambridge Univ. Press, 1998.
- [31] X. Tan, A. Leon-Garcia, Y. Wu, and D. H. K. Tsang, "Posted-price retailing of transactive energy: An optimal online mechanism without prediction," Tech. Rep. [Online]. Available: <https://bit.ly/2qObNIS>
- [32] N. Buchbinder and J. (Seffi) Naor, "The design of competitive online algorithms via a primal–dual approach," *Found. Trends Theor. Comput. Sci.*, vol. 3, nos. 2–3, pp. 93–263, Feb. 2009.
- [33] L. Perko, *Differential Equations and Dynamical Systems*. New York, NY, USA: Springer, 2001.
- [34] V. Arnold, *Ordinary Differential Equations*. Cambridge, MA, USA: MIT Press, 1973.

- [35] N. Buchbinder and J. Naor, "Improved bounds for online routing and packing via a primal-dual approach," in *Proc. 47th Annu. IEEE Symp. Found. Comput. Sci. (FOCS)*, Oct. 2006, pp. 293–304.
- [36] H. Akhavan-Hejazi, H. Mohsenian-Rad, and A. Nejat, "Developing a test data set for electric vehicle applications in smart grid research," in *Proc. IEEE VTC-Fall*, Sep. 2014, pp. 1–6.



**Xiaoqi Tan** (S'12–M'18) received the Ph.D. degree in electronic and computer engineering from The Hong Kong University of Science and Technology. From October 2015 to April 2016, he was a Visiting Research Fellow with the School of Engineering and Applied Science (SEAS), Harvard University, Cambridge, MA, USA. He is currently a Post-Doctoral Fellow with The Edward S. Rogers Sr. Department of Electrical and Computer Engineering, University of Toronto, Ontario, Canada. His current research interests include online algorithms, mechanism design, and network optimization, with applications to communication, computing, and energy systems.

and network optimization, with applications to communication, computing, and energy systems.



**Alberto Leon-Garcia** (S'74–M'77–SM'97–F'99–LF'18) received the B.S., M.S., and Ph.D. degrees in electrical engineering from the University of Southern California, Los Angeles, CA, USA, in 1973, 1974, and 1976, respectively. He was the Founder and the CTO of AcceLight Networks, Ottawa, ON, Canada, from 1999 to 2002, which developed an all-optical fabric multiterabit switch. He is currently a Professor of electrical and computer engineering with the University of Toronto, ON. He holds the Canada Research Chair in Autonomic Service Architecture. He holds several patents and has published extensively in the areas of switch architecture and traffic management. His research team is currently developing a network testbed that will enable at-scale experimentation in new network protocols and distributed applications. He is recognized as an Innovator of networking education. In 1986, he led the development of the University of Toronto-Northern Telecom Network Engineering Program. He has also led the development of the Master of Engineering in Telecommunications Program in 1997, and the communications and networking options in the undergraduate computer engineering program. He has authored the textbook *Probability and Random Processes for Electrical Engineering and Communication Networks: Fundamental Concepts and Key Architecture*. His current research interests include application-oriented networking and autonomic resources management with a focus on enabling pervasive smart infrastructure. He is a fellow of the Engineering Institute of Canada. He was a recipient of the 2006 Thomas Eadie Medal from the Royal Society of Canada and the 2010 IEEE Canada A. G. L. McNaughton Gold Medal for his contributions to the area of communications.

He holds several patents and has published extensively in the areas of switch architecture and traffic management. His research team is currently developing a network testbed that will enable at-scale experimentation in new network protocols and distributed applications. He is recognized as an Innovator of networking education. In 1986, he led the development of the University of Toronto-Northern Telecom Network Engineering Program. He has also led the development of the Master of Engineering in Telecommunications Program in 1997, and the communications and networking options in the undergraduate computer engineering program. He has authored the textbook *Probability and Random Processes for Electrical Engineering and Communication Networks: Fundamental Concepts and Key Architecture*. His current research interests include application-oriented networking and autonomic resources management with a focus on enabling pervasive smart infrastructure. He is a fellow of the Engineering Institute of Canada. He was a recipient of the 2006 Thomas Eadie Medal from the Royal Society of Canada and the 2010 IEEE Canada A. G. L. McNaughton Gold Medal for his contributions to the area of communications.



**Yuan Wu** (S'08–M'10–SM'16) received the Ph.D. degree in electronic and computer engineering from The Hong Kong University of Science and Technology, Hong Kong, in 2010. He was a Full Professor with the College of Information Engineering, Zhejiang University of Technology, China. He is currently an Associate Professor with the State Key Laboratory of Internet of Things for Smart City, University of Macau, Macao, China, and also with the Department of Computer and Information Science, University of Macau. His research interests focus

on resource management for wireless networks, green communications and computing, mobile edge computing, and smart grid. He was a recipient of the Best Paper Award of the IEEE International Conference on Communications in 2016 and the Best Paper Award of the IEEE Technical Committee on Green Communications and Computing in 2017.



**Danny H. K. Tsang** (M'82–SM'00–F'12) received the Ph.D. degree in electrical engineering from the Moore School of Electrical Engineering, University of Pennsylvania, Philadelphia, PA, USA, in 1989.

Upon graduation, he joined the Department of Computer Science, Dalhousie University, Canada. He later joined the Department of Electronic and Computer Engineering, The Hong Kong University of Science and Technology (HKUST), in 1992, where he is currently a Professor. During his leave from HKUST, he assumed the role of Principal Architect at Sycamore Networks, USA, from 2000 to 2001. He was responsible for the network architecture design of Ethernet MAN/WAN over SONET/DWDM networks. He invented the 64B/65B encoding (US Patent No.: US 6,952,405 B2) and contributed it to the proposal for Transparent GFP in the T1X1.5 standard that was advanced to become the ITU G.GFP standard. The coding scheme has now been adopted by the International Telecommunication Union (ITU)'s Generic Framing Procedure recommendation GFP-T (ITU-T G.7041/Y.1303) and Interfaces for the Optical Transport Network (ITU-T G.709). His current research interests include cloud computing, edge computing, NOMA networks, and smart grids.

Dr. Tsang was nominated to become an HKIE Fellow in 2013. He was a Guest Editor of the IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS Special issue on Advances in P2P Streaming Systems, an Associate Editor of the *Journal of Optical Networking* published by the Optical Society of America, and a Guest Editor of the IEEE SYSTEMS JOURNAL. He currently serves as a Technical Editor for the *IEEE Communications Magazine*.